

Supplemental References (Cited in Supplemental Table 1)

- Allan E, de Vernal A, Knudsen MF, Hillaire-Marcel C, Moros M, et al. 2018. Late Holocene sea surface instabilities in the Disko Bugt area, West Greenland, in phase with $\delta^{18}\text{O}$ oscillations at Camp Century. *Paleoceanography and Paleoclimatology* 33: 227-43
- Allan E, de Vernal A, Seidenkrantz MS, Briner JP, Hillaire-Marcel C, et al. in final review. Insolation vs. meltwater control of productivity and sea surface conditions off SW Greenland during the Holocene. *Boreas*
- Alley RB, Anandakrishnan S. 1995. Variations in melt-layer frequency in the GISP2 ice core: Implications for Holocene summer temperatures central Greenland. *Annals of Glaciology, Vol 21, 1995*: 64-70
- Andresen CS, Hansen MJ, Seidenkrantz MS, Jennings AE, Knudsen MF, et al. 2012. Mid- to late-Holocene oceanographic variability on the Southeast Greenland shelf. *The Holocene* 23: 167-78
- Andresen CS, McCarthy DJ, Valdemar Dylmer C, Seidenkrantz M-S, Kuijpers A, Lloyd JM. 2010. Interaction between subsurface ocean waters and calving of the Jakobshavn Isbræ during the late Holocene. *The Holocene* 21: 211-24
- Axford Y, Lasher GE, Kelly MA, Osterberg EC, Landis J, et al. 2019. Holocene temperature history of northwest Greenland – With new ice cap constraints and chironomid assemblages from Deltasø. *Quaternary Science Reviews* 215: 160-72
- Axford Y, Levy LB, Kelly MA, Francis DR, Hall BL, et al. 2017. Timing and magnitude of early to middle Holocene warming in East Greenland inferred from chironomids. *Boreas*
- Axford Y, Losee S, Briner JP, Francis DR, Langdon PG, Walker IR. 2013. Holocene temperature history at the western Greenland Ice Sheet margin reconstructed from lake sediments. *Quaternary Science Reviews* 59: 87-100
- Badgeley JA, Steig EJ, Hakim GJ, Fudge TJ. 2020. Greenland temperature and precipitation over the last 20 000 years using data assimilation. *Climate of the Past* 16: 1325-46
- Balascio NL, D'Andrea WJ, Bradley RS. 2015. Glacier response to North Atlantic climate variability during the Holocene. *Climate of the Past* 11: 1587-98
- Bennike O, Anderson NJ, McGowan S. 2010. Holocene palaeoecology of southwest Greenland inferred from macrofossils in sediments of an oligosaline lake. *Journal of Paleolimnology* 43: 787-98
- Buizert C, Keisling BA, Box JE, He F, Carlson AE, et al. 2018. Greenland-wide seasonal temperatures during the last deglaciation. *Geophysical Research Letters* 45: 1905-14
- Caron M, Rochon A, Montero-Serrano JC, St-Onge G. 2019. Evolution of sea-surface conditions on the northwestern Greenland margin during the Holocene. *Journal of Quaternary Science* 34: 569-80
- Dahl-Jensen D, Mosegaard K, Gundestrup N, Clow GD, Johnsen SJ, et al. 1998. Past temperatures directly from the Greenland Ice Sheet. *Science* 282: 268-71
- Darby DA, Andrews JT, Belt ST, Jennings AE, Cabedo-Sanz P. 2018. Holocene Cyclic Records of Ice-Rafted Debris and Sea Ice Variations on the East Greenland and Northwest Iceland Margins. *Arctic, Antarctic, and Alpine Research* 49: 649-72
- de Vernal A, Hillaire-Marcel C. 2006. Provincialism in trends and high frequency changes in the northwest North Atlantic during the Holocene. *Global and Planetary Change* 54: 263-90
- Fréchette B, de Vernal A. 2009. Relationship between Holocene climate variations over southern Greenland and eastern Baffin Island and synoptic circulation pattern. *Climate of the Past* 5: 347-59

- Fredskild B. 1973. Studies in the vegetational history of Greenland, paleobotanical investigations of some Holocene lake and bog deposits. *Meddelelser om Grønland* 4(198).
- Fredskild B. 1985. The Holocene vegetational development of Tugtulgissuaq and Qeqertat, Northwest Greenland. *Meddelelser om Grønland* 14: 1-20
- Funder S. 1978. Holocene stratigraphy and vegetation history in the Scoresby Sund area, East Greenland. *Bulletin-Groenlands Geologiske Undersoegelse* 12: 1-76
- Gajewski K. 2015. Quantitative reconstruction of Holocene temperatures across the Canadian Arctic and Greenland. *Global and Planetary Change* 128: 14-23
- Georgiadis E, Giraudeau J, Jennings A, Limoges A, Jackson R, et al. 2020. Local and regional controls on Holocene sea ice dynamics and oceanography in Nares Strait, Northwest Greenland. *Marine Geology* 422
- Gibb OT, Steinhauer S, Fréchette B, de Vernal A, Hillaire-Marcel C. 2015. Diachronous evolution of sea surface conditions in the Labrador Sea and Baffin Bay since the last deglaciation. *The Holocene* 25: 1882-97
- Hansen KE, Giraudeau J, Wacker L, Pearce C, Seidenkrantz M-S. 2020. Reconstruction of Holocene oceanographic conditions in the Northeastern Baffin Bay. *Climate of the Past Discussions*
- Hjort C. 1997. Glaciation, climate history, changing marine levels and the evolution of the Northeast Water Polynya. *Journal of Marine Systems* 10: 23-33
- Jennings A, Andrews J, Wilson L. 2011. Holocene environmental evolution of the SE Greenland Shelf North and South of the Denmark Strait: Irminger and East Greenland current interactions. *Quaternary Science Reviews* 30: 980-98
- Jennings AE, Andrews JT, Oliver B, Walczak M, Mix A. 2019. Retreat of the Smith Sound Ice Stream in the Early Holocene. *Boreas* 48: 825-40
- Jennings AE, Walton ME, Ó Cofaigh C, Kilfeather A, Andrews JT, et al. 2014. Paleoenvironments during Younger Dryas-Early Holocene retreat of the Greenland Ice Sheet from outer Disko Trough, central west Greenland. *Journal of Quaternary Science* 29: 27-40
- Jensen KG, Kuijpers A, Koç N, Heinemeier J. 2004. Diatom evidence of hydrographic changes and ice conditions in Igaliku Fjord, South Greenland, during the past 1500 years. *The Holocene* 14: 152-64
- Knudsen KL, Søndergaard MKB, Eiríksson J, Jiang H. 2008. Holocene thermal maximum off North Iceland: Evidence from benthic and planktonic foraminifera in the 8600–5200 cal year BP time slice. *Marine Micropaleontology* 67: 120-42
- Kobashi T, Menviel L, Jeltsch-Thommes A, Vinther BM, Box JE, et al. 2017. Volcanic influence on centennial to millennial Holocene Greenland temperature change. *Sci Rep* 7: 1441
- Krawczyk D, Witkowski A, Moros M, Lloyd J, Kuijpers A, Kierzek A. 2010. Late-Holocene diatom-inferred reconstruction of temperature variations of the West Greenland Current from Disko Bugt, central West Greenland. *The Holocene* 20: 659-66
- Larocca LJ, Axford Y, Bjørk AA, Lasher GE, Brooks JP. 2020a. Local glaciers record delayed peak Holocene warmth in south Greenland. *Quaternary Science Reviews* 241
- Larocca LJ, Axford Y, Woodroffe SA, Lasher GE, Gawin B. 2020b. Holocene glacier and ice cap fluctuations in southwest Greenland inferred from two lake records. *Quaternary Science Reviews* 246

- Larsen NK, Levy LB, Strunk A, Søndergaard AS, Olsen J, Lauridsen TL. 2019. Local ice caps in Finderup Land, North Greenland, survived the Holocene Thermal Maximum. *Boreas* 48: 551-62
- Larsen NK, Strunk A, Levy LB, Olsen J, Bjørk A, et al. 2017. Strong altitudinal control on the response of local glaciers to Holocene climate change in southwest Greenland. *Quaternary Science Reviews* 168: 69-78
- Lasher GE, Axford Y, McFarlin JM, Kelly MA, Osterberg EC, Berkelhammer MB. 2017. Holocene temperatures and isotopes of precipitation in Northwest Greenland recorded in lacustrine organic materials. *Quaternary Science Reviews* 170: 45-55
- Lassen SJ, Kuijpers A, Kunzendorf H, Hoffmann-Wieck G, Mikkelsen N, Konradi P. 2004. Late-Holocene Atlantic bottom-water variability in Igaliku Fjord, South Greenland, reconstructed from foraminifera faunas. *The Holocene* 14: 165-71
- Lecavalier BS, Fisher DA, Milne GA, Vinther BM, Tarasov L, et al. 2017. High Arctic Holocene temperature record from the Agassiz ice cap and Greenland ice sheet evolution. *Proc Natl Acad Sci U S A* 114: 5952-57
- Levac E, Vernal AD, Blake Jr W. 2001. Sea-surface conditions in northernmost Baffin Bay during the Holocene: palynological evidence. *Journal of Quaternary Science* 16: 353-63
- Levy LB, Kelly MA, Lowell TV, Hall BL, Hempel LA, et al. 2014. Holocene fluctuations of Bregne ice cap, Scoresby Sund, east Greenland: a proxy for climate along the Greenland Ice Sheet margin. *Quaternary Science Reviews* 92: 357-68
- Lloyd JM, Kuijpers A, Long A, Moros M, Park LA. 2007. Foraminiferal reconstruction of mid-to late-Holocene ocean circulation and climate variability in Disko Bugt, West Greenland. *Holocene* 17: 1079-91
- Lowell TV, Hall BL, Kelly MA, Bennike O, Lusas AR, et al. 2013. Late Holocene expansion of Istorvet ice cap, Liverpool Land, east Greenland. *Quaternary Science Reviews* 63: 128-40
- McFarlin JM, Axford Y, Osburn MR, Kelly MA, Osterberg EC, Farnsworth LB. 2018. Pronounced summer warming in northwest Greenland during the Holocene and Last Interglacial. *Proceedings of the National Academy of Sciences* 155: 6357-62
- Møller HS, Jensen KG, Kuijpers A, Aagaard-Sorensen S, Seidenkrantz MS, et al. 2006. Late-Holocene environment and climatic changes in Ameralik Fjord, southwest Greenland: evidence from the sedimentary record. *Holocene* 16: 685-95
- Moros M, Andrews JT, Eberl DD, Jansen E. 2006. Holocene history of drift ice in the northern North Atlantic: Evidence for different spatial and temporal modes. *Paleoceanography* 21
- Moros M, Lloyd JM, Perner K, Krawczyk D, Blanz T, et al. 2016. Surface and sub-surface multi-proxy reconstruction of middle to late Holocene palaeoceanographic changes in Disko Bugt, West Greenland. *Quaternary Science Reviews* 132: 146-60
- Müller J, Massé G, Stein R, Belt ST. 2009. Variability of sea-ice conditions in the Fram Strait over the past 30,000 years. *Nature Geoscience* 2: 772-76
- Müller J, Werner K, Stein R, Fahl K, Moros M, Jansen E. 2012. Holocene cooling culminates in sea ice oscillations in Fram Strait. *Quaternary Science Reviews* 47: 1-14
- Ouellet-Bernier M-M, de Vernal A, Hillaire-Marcel C, Moros M. 2014. Paleoceanographic changes in the Disko Bugt area, West Greenland, during the Holocene. *The Holocene* 24: 1573-83
- Perner K, Jennings AE, Moros M, Andrews JT, Wacker L. 2016. Interaction between warm Atlantic-sourced waters and the East Greenland Current in northern Denmark Strait (68°N) during the last 10 600 cal a BP. *Journal of Quaternary Science* 31: 472-83

- Perner K, Moros M, Lloyd JM, Jansen E, Stein R. 2015. Mid to late Holocene strengthening of the East Greenland Current linked to warm subsurface Atlantic water. *Quaternary Science Reviews* 129: 296-307
- Rasmussen SO, Andersen KK, Svensson AM, Steffensen JP, Vinther BM, et al. 2006. A new Greenland ice core chronology for the last glacial termination. *Journal of Geophysical Research* 111
- Ren J, Jiang H, Seidenkrantz M-S, Kuijpers A. 2009. A diatom-based reconstruction of Early Holocene hydrographic and climatic change in a southwest Greenland fjord. *Marine Micropaleontology* 70: 166-76
- Saini J, Stein R, Fahl K, Weiser J, Hebbeln D, et al. 2020. Holocene variability in sea ice and primary productivity in the northeastern Baffin Bay. *Arktos*
- Schweinsberg AD, Briner JP, Licciardi JM, Bennike O, Lifton NA, et al. 2019. Multiple independent records of local glacier variability on Nuussuaq, West Greenland, during the Holocene. *Quaternary Science Reviews* 215: 253-71
- Schweinsberg AD, Briner JP, Miller GH, Bennike O, Thomas EK. 2017. Local glaciation in West Greenland linked to North Atlantic Ocean circulation during the Holocene. *Geology* 45: 195-98
- Schweinsberg AD, Briner JP, Miller GH, Lifton NA, Bennike O, Graham BL. 2018. Holocene mountain glacier history in the Sukkertoppen Iskappe area, southwest Greenland. *Quaternary Science Reviews* 197: 142-61
- Seidenkrantz M-S. 2013. Benthic foraminifera as palaeo sea-ice indicators in the subarctic realm – examples from the Labrador Sea–Baffin Bay region. *Quaternary Science Reviews* 79: 135-44
- Seidenkrantz M-S, Roncaglia L, Fischel A, Heilmann-Clausen C, Kuijpers A, Moros M. 2008. Variable North Atlantic climate seesaw patterns documented by a late Holocene marine record from Disko Bugt, West Greenland. *Marine Micropaleontology* 68: 66-83
- Seidenkrantz MS, Aagaard-Sorensen S, Sulsbruck H, Kuijpers A, Jensen KG, Kunzendorf H. 2007. Hydrography and climate of the last 4400 years in a SW Greenland fjord: implications for Labrador Sea palaeoceanography. *The Holocene* 17: 387-401
- Sha L, Jiang H, Knudsen KL. 2011. Diatom evidence of climatic change in Holsteinsborg Dyb, west of Greenland, during the last 1200 years. *The Holocene* 22: 347-58
- Sha L, Jiang H, Seidenkrantz M-S, Knudsen KL, Olsen J, et al. 2014. A diatom-based sea-ice reconstruction for the Vaigat Strait (Disko Bugt, West Greenland) over the last 5000yr. *Palaeogeography, Palaeoclimatology, Palaeoecology* 403: 66-79
- Sha L, Jiang H, Seidenkrantz M-S, Li D, Andresen CS, et al. 2017. A record of Holocene sea-ice variability off West Greenland and its potential forcing factors. *Palaeogeography, Palaeoclimatology, Palaeoecology* 475: 115-24
- Solignac S, Giraudeau J, de Vernal A. 2006. Holocene sea surface conditions in the western North Atlantic: Spatial and temporal heterogeneities. *Paleoceanography* 21
- Syring N, Stein R, Fahl K, Vahlenkamp M, Zehnich M, et al. 2020. Holocene changes in sea-ice cover and polynya formation along the eastern North Greenland shelf: New insights from biomarker records. *Quaternary Science Reviews* 231
- van der Bilt WGM, Rea B, Spagnolo M, Roerdink DL, Jørgensen SL, Bakke J. 2018. Novel sedimentological fingerprints link shifting depositional processes to Holocene climate transitions in East Greenland. *Global and Planetary Change* 164: 52-64

- Van Nieuwenhove N, Baumann A, Matthiessen J, Bonnet S, de Vernal A. 2016. Sea surface conditions in the southern Nordic Seas during the Holocene based on dinoflagellate cyst assemblages. *The Holocene* 26: 722-35
- Vinther BM, Buchardt SL, Clausen HB, Dahl-Jensen D, Johnsen SJ, et al. 2009. Holocene thinning of the Greenland ice sheet. *Nature* 461: 385-8
- Vinther BM, Clausen HB, Johnsen SJ, Rasmussen SO, Andersen KK, et al. 2006. A synchronized dating of three Greenland ice cores throughout the Holocene. *Journal of Geophysical Research* 111
- Xiao X, Stein R, Fahl K. 2015. MIS 3 to MIS 1 temporal and LGM spatial variability in Arctic Ocean sea ice cover: Reconstruction from biomarkers. *Paleoceanography* 30: 969-83